



Effisus Cobra Membrane - Square Ducts

INSTALLATION INSTRUCTIONS - EFFISUS COBRA MEMBRANE

Cutting the membrane




Installation order



Start the installation of the Effisus Cobra Membrane from the bottom of the duct (lower side of the roof slope).


Mark a guideline on the duct, parallel to the roof, by measuring 80mm from roof top, as indicated on the figure.

Applying the Effisus Block JP Sealant on the duct



Apply a continuous bead of Effiisus Block JP Sealant below the guideline marked previously on point 2.


Fastening the membrane to the duct



Secure the Effisus Cobra Membrane to the duct following the guideline previously marked on point 2.

Fasten the Membrane to the duct making sure that maximum distance between screws is approx. 35mm.

Applying the Effisus Block JP Sealant on the roof



Fold the Effisus Cobra Membrane back and apply a continuous bead of Effisus Block JP Sealant on the roof (this bead should be applied on the position where the bottom edge of the Membrane will be fastened to the roof).





Effisus Cobra Membrane - Square Ducts

INSTALLATION INSTRUCTIONS - EFFISUS COBRA MEMBRANE

Fastening membrane to the roof

Start fastening the membrane to the roof by placing a screw at the 2 bottom edges of membrane aligned with the duct width.

Continue fastening the membrane to the roof, on the spacing defined by the 2 screws applied previously, by screwing first on the valleys, then on crests.

Make sure that maximum spacing between screws is approx. 35mm.

Applying membrane on remaining duct sides


Repeat steps 2, 3, 4, 5 e 6 for the remaining sides of duct.

Fastening overlap joints

Fasten membrane overlaps (edges where the top membrane has aluminium embedded) with maximum spacing between screws of 35mm.


For the 4 edges without aluminium embedded use the 4 strips that were cut on point 1, as indicated on the figure..

Finishing the installation



To finish the installation apply a bead of Effisus Block JP Sealant to all membrane top and bottom perimeter and to all edges or open gaps.







6