

Safety Data Sheet  
according to TACTA010

## EFFISUS 2BOND DS TAPE

### 1. PRODUCT AND COMPANY INFORMATION

**Product Trade Name**

Effisus 2 Bond DS Tape

**Chemical Name**

N/A

**Chemical Family**

Polyolefin and synthetic elastomer

**Company / Distributor**

Up-Way Systems, Lda.  
R. Dr. Oliveira Salazar, 88  
4780-453 Santo Tirso  
T: +351 252 809 121  
F: +351 252 859 298

**Emergency Phone Number**

112

---

### 2. HAZARD IDENTIFICATION / FIRE FIGHTING MEASURES

**HMIS/NFPA Hazard Ratings**

Health Hazard: 0.  
Flammability Hazard: 1.  
Reactivity Hazard: 0.

**Flash Point and Method**

450 Degrees Fahrenheit COC.

**Flammable Limits**

N/A.

**Extinguishing Media**

Carbon dioxide, dry chemical, foam, water fog, and water spray.

**Special fire fighting procedures**

Use water spray to cool fire exposed surfaces and to protect personnel.

**Unusual fire and explosion hazard**

To.

---

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

**Hazardous Components**

None.

## 4. FIRST AID MEASURES

### Permissible Exposure Level

N/A.

### Effects of Overexposure

Eyes: N/A.

Ingestion: Acute oral LD50 is greater than 10g/kg.

Inhalation: N/A.

Skin: N/A.

### Emergency and First Aid Procedures

Eyes: Flush with water.

Ingestion: Contact a physician.

Inhalation: N/A.

Skin: Remove with waterless hand cleaner. Wash with soap and water.

### Medical Conditions generally aggravated by exposure

N/A.

### Primary Routes of Entry

Eyes: None.

Ingestion: Not a normal exposure.

Inhalation: None.

Skin: None.

### Chemicals contained herein listed as carcinogens or potential carcinogens

NTP: None.

IARC: None.

OSHA: None.

---

## 5. HANDLING AND STORAGE

### Precaution to be taken in handling and storing

Do not store near flame, heat or strong oxidizing agents.

---

## 6. EXPOSURE CONTROL AND PERSONAL PROTECTION

### Respiratory Protection

N/A.

### Eye Protection

None.

### Ventilation

N/A.

### Protective Gloves

N/A.

## 7. PHYSICAL AND CHEMICAL PROPERTIES

**Boiling point range:** N/A.

**Vapor Pressure:** N/A.

**Vapor Density:** N/A.

**Solubility in Water:** Insoluble.

**Percent Volatile by Volume:** N/A.

**Evaporation Rate:** N/A.

**Appearance and odor:** Gray Sealant.

**Specific gravity:** 1.04 (adhesive).

## 8. STABILITY AND REACTIVITY

### **Stability**

Stable.

### **Conditions to avoid**

Overheating.

### **Incompatibility (Material to avoid)**

Avoid contact with strong oxidizing agents.

### **Hazardous decomposition products**

Flammable hydrocarbons.

### **Hazardous polymerization**

Will not occur.

## 9. DISPOSAL CONSIDERATIONS

### **Steps to be taken in case material is released or spilled**

Sweep up.

### **Waste disposal method**

Dispose of in accordance with Federal, State and local regulations.

## 10. OTHER INFORMATION

Note: NA= not applicable; NE= not established.

Information here in is given in good fait and is, to the best of our knowledge and belief, accurate and reliable. However, since information here in was obtained, in part, from independent suppliers not under the direction and supervision of Up-Way Systems. Up-Way Systems makes no warranty or representation, express or implied, that the information is accurate, reliable, complete or representative. Up-Way Systems warrants only that it has made no effort to censor other than trade secret information or to conceal deleterious aspects of its products. The data shown above in on way modifies, amends, or enlarges any specification or warranty.

All components iof this product are listed in the EPA/TSCA Inventory of Chemical Substances.

### **Accompanying Document**

Date of issue: 21/02/1996; Revision Date: 17/03/2000

### **Version**

V 1.1 – OG – 28/01/2013