

**EFFISUS BONDING KFP**

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

- 1.1 Product identifier:** EFFISUS BONDING KFP  
**Other means of identification:**  
**UFI:** 1710-E0FA-D006-3Y20
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**  
Relevant uses (Professional users): Adhesive and Sealant  
Relevant uses (Industrial user): Adhesive and Sealant  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**  
Effisus, Unipessoal Lda  
Travessa José de Oliveira Mendes, 87 & 103  
4760-912 Vila Nova de Famalicão - Porto - Portugal  
Phone: +351252085574 - Fax: +351252081644  
geral@effisus.com  
www.effisus.com
- 1.4 Emergency telephone number:** (+351) 252 085 574

**SECTION 2: HAZARDS IDENTIFICATION**

- 2.1 Classification of the substance or mixture:**  
**CLP Regulation (EC) No 1272/2008:**  
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.  
Eye Irrit. 2: Eye irritation, Category 2, H319  
Flam. Liq. 2: Flammable liquids, Category 2, H225  
STOT SE 3: Specific toxicity causing drowsiness and dizziness, single exposure, Category 3, H336
- 2.2 Label elements:**  
**CLP Regulation (EC) No 1272/2008:**  
**Danger**
-  
- Hazard statements:**  
Eye Irrit. 2: H319 - Causes serious eye irritation.  
Flam. Liq. 2: H225 - Highly flammable liquid and vapour.  
STOT SE 3: H336 - May cause drowsiness or dizziness.
- Precautionary statements:**  
P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P370+P378: In case of fire: Use Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC) to extinguish.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.
- Supplementary information:**  
EUH066: Repeated exposure may cause skin dryness or cracking.
- Substances that contribute to the classification**  
Butanone (CAS: 78-93-3); Ethyl acetate (CAS: 141-78-6)
- UFI:** 1710-E0FA-D006-3Y20
- 2.3 Other hazards:**

- CONTINUED ON NEXT PAGE -

## EFFISUS BONDING KFP

### SECTION 2: HAZARDS IDENTIFICATION (continued)

Product does not meet PBT/vPvB criteria  
The mixture does not contain components considered to have endocrine disrupting properties in accordance with Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Not relevant

#### 3.2 Mixture:

**Chemical description:** Styrene rubber containing solvents

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification                                                                        | Chemical name/Classification       |                                                                          | Concentration |
|---------------------------------------------------------------------------------------|------------------------------------|--------------------------------------------------------------------------|---------------|
| CAS: 78-93-3<br>EC: 201-159-0<br>Index: 606-002-00-3<br>REACH: 01-2119457290-43-XXXX  | <b>Butanone<sup>(1)</sup></b>      | ATP CLP00                                                                | 10 - <20%     |
|                                                                                       | Regulation 1272/2008               | Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Danger |               |
| CAS: 141-78-6<br>EC: 205-500-4<br>Index: 607-022-00-5<br>REACH: 01-2119475103-46-XXXX | <b>Ethyl acetate<sup>(1)</sup></b> | ATP CLP00                                                                | 1 - <10%      |
|                                                                                       | Regulation 1272/2008               | Eye Irrit. 2: H319; Flam. Liq. 2: H225; STOT SE 3: H336; EUH066 - Danger |               |

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

##### By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

##### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

##### By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

##### By ingestion/aspiration:

In case of consumption, seek immediate medical assistance showing the SDS for the product.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

- CONTINUED ON NEXT PAGE -

## EFFISUS BONDING KFP

### SECTION 5: FIREFIGHTING MEASURES (continued)

**Suitable extinguishing media:**

Foam extinguisher (AB), Dry Chemical Powder (ABC) Fire Extinguisher, Carbon dioxide extinguisher (BC)

**Unsuitable extinguishing media:**

Water jet

**5.2 Special hazards arising from the substance or mixture:**

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

**5.3 Advice for firefighters:**

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

**Additional provisions:**

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures:**

**For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

**For emergency responders:**

Wear protective equipment. Keep unprotected persons away. See section 8.

**6.2 Environmental precautions:**

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

**6.3 Methods and material for containment and cleaning up:**

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

**6.4 Reference to other sections:**

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

**7.1 Precautions for safe handling:**

A.- General precautions for safe use

- CONTINUED ON NEXT PAGE -

## EFFISUS BONDING KFP

### SECTION 7: HANDLING AND STORAGE (continued)

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

#### B.- Technical recommendations for the prevention of fires and explosions

Transfer in well ventilated areas, preferably through localized extraction. Fully control sources of ignition (mobile phones, sparks,...) and ventilate during cleaning operations. Avoid the existence of dangerous atmospheres inside containers, applying inertization systems where possible. Transfer at a slow speed to avoid the creation of electrostatic charges. Against the possibility of electrostatic charges: ensure a perfect equipotential connection, always use groundings, do not wear work clothes made of acrylic fibres, preferably wearing cotton clothing and conductive footwear. Comply with the essential security requirements for equipment and systems defined in Directive 2014/34/EC (ATEX 100) and with the minimum requirements for protecting the security and health of workers under the selection criteria of Directive 1999/92/EC (ATEX 137). Consult section 10 for conditions and materials that should be avoided.

#### C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

#### D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

#### A.- Specific storage requirements

Minimum Temp.: 15 °C

#### B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### Other storage conditions:

Keep containers tightly closed in a dark, cool, dry place. Heat will increase pressure and may cause the container to explode.

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Directive (EU) 2000/39, Directive 2004/37/EC, Directive (EU) 2006/15, Directive (EU) 2009/161, Directive (EU) 2017/164, Directive (EU) 2019/1831:

| Identification                               |  | Occupational exposure limits |         |            |
|----------------------------------------------|--|------------------------------|---------|------------|
| Butanone<br>CAS: 78-93-3 EC: 201-159-0       |  | IOELV (8h)                   | 200 ppm | 600 mg/m³  |
|                                              |  | IOELV (STEL)                 | 300 ppm | 900 mg/m³  |
| Ethyl acetate<br>CAS: 141-78-6 EC: 205-500-4 |  | IOELV (8h)                   | 200 ppm | 734 mg/m³  |
|                                              |  | IOELV (STEL)                 | 400 ppm | 1468 mg/m³ |

#### DNEL (Workers):

| Identification                                  |            | Short exposure |              | Long exposure |              |
|-------------------------------------------------|------------|----------------|--------------|---------------|--------------|
|                                                 |            | Systemic       | Local        | Systemic      | Local        |
| Butanone<br>CAS: 78-93-3<br>EC: 201-159-0       | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                 | Dermal     | Not relevant   | Not relevant | 1161 mg/kg    | Not relevant |
|                                                 | Inhalation | Not relevant   | Not relevant | 600 mg/m³     | Not relevant |
| Ethyl acetate<br>CAS: 141-78-6<br>EC: 205-500-4 | Oral       | Not relevant   | Not relevant | Not relevant  | Not relevant |
|                                                 | Dermal     | Not relevant   | Not relevant | 63 mg/kg      | Not relevant |
|                                                 | Inhalation | 1468 mg/m³     | 1468 mg/m³   | 734 mg/m³     | 734 mg/m³    |

#### DNEL (General population):

- CONTINUED ON NEXT PAGE -

## EFFISUS BONDING KFP

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Identification |            | Short exposure |              | Long exposure |              |
|----------------|------------|----------------|--------------|---------------|--------------|
|                |            | Systemic       | Local        | Systemic      | Local        |
| Butanone       | Oral       | Not relevant   | Not relevant | 31 mg/kg      | Not relevant |
| CAS: 78-93-3   | Dermal     | Not relevant   | Not relevant | 412 mg/kg     | Not relevant |
| EC: 201-159-0  | Inhalation | Not relevant   | Not relevant | 106 mg/m³     | Not relevant |
| Ethyl acetate  | Oral       | Not relevant   | Not relevant | 4,5 mg/kg     | Not relevant |
| CAS: 141-78-6  | Dermal     | Not relevant   | Not relevant | 37 mg/kg      | Not relevant |
| EC: 205-500-4  | Inhalation | 734 mg/m³      | 734 mg/m³    | 367 mg/m³     | 367 mg/m³    |

#### PNEC:

| Identification |              | Short exposure |                         | Long exposure |       |
|----------------|--------------|----------------|-------------------------|---------------|-------|
|                |              | Systemic       | Local                   | Systemic      | Local |
| Butanone       | STP          | 709 mg/L       | Fresh water             | 55,8 mg/L     |       |
| CAS: 78-93-3   | Soil         | 22,5 mg/kg     | Marine water            | 55,8 mg/L     |       |
| EC: 201-159-0  | Intermittent | 55,8 mg/L      | Sediment (Fresh water)  | 284,74 mg/kg  |       |
|                | Oral         | 1 g/kg         | Sediment (Marine water) | 284,7 mg/kg   |       |
| Ethyl acetate  | STP          | 650 mg/L       | Fresh water             | 0,24 mg/L     |       |
| CAS: 141-78-6  | Soil         | 0,148 mg/kg    | Marine water            | 0,024 mg/L    |       |
| EC: 205-500-4  | Intermittent | 1,65 mg/L      | Sediment (Fresh water)  | 1,15 mg/kg    |       |
|                | Oral         | 0,2 g/kg       | Sediment (Marine water) | 0,115 mg/kg   |       |

#### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

| Pictogram                                                                                                                     | PPE                               | Labelling                                                                                      | CEN Standard        | Remarks                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|------------------------------------------------------------------------------------------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <br>Mandatory respiratory tract protection | Filter mask for gases and vapours | <br>CAT III | EN 405:2002+A1:2010 | Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment. |

C.- Specific protection for the hands

| Pictogram                                                                                                        | PPE                                                                                                                               | Labelling                                                                                      | CEN Standard      | Remarks                                          |
|------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-------------------|--------------------------------------------------|
| <br>Mandatory hand protection | Chemical protective gloves (Material: Linear low-density polyethylene (LLDPE), Breakthrough time: > 480 min, Thickness: 0.062 mm) | <br>CAT III | EN ISO 21420:2020 | Replace the gloves at any sign of deterioration. |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

| Pictogram                                                                                                        | PPE         | Labelling                                                                                     | CEN Standard                                                                                    | Remarks                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <br>Mandatory face protection | Face shield | <br>CAT II | EN 166:2002<br>UNE-EN ISO 18526-1 al 4:2020<br>UNE-EN ISO 18526-1 al 4:2020<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E.- Body protection

- CONTINUED ON NEXT PAGE -

## EFFISUS BONDING KFP

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

| Pictogram                                                                                                               | PPE                                                                                                 | Labelling                                                                         | CEN Standard                                                                                                                                      | Remarks                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| <br>Mandatory complete body protection | Disposable clothing for protection against chemical risks, with antistatic and fireproof properties |  | EN 1149-1:2,3<br>EN 13034:2005+A1:2009<br>EN ISO 13982-1:2005/A1:2011<br>EN ISO 6529:2013<br>EN ISO 6530:2005<br>EN ISO 13688:2013<br>EN 464:1995 | For professional use only. Clean periodically according to the manufacturer's instructions. |
| <br>Mandatory foot protection          | Safety footwear for protection against chemical risk, with antistatic and heat resistant properties |  | EN ISO 13287:2020<br>EN ISO 20345:2022<br>EN 13832-1:2019                                                                                         | Replace boots at any sign of deterioration.                                                 |

#### F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

| Emergency measure                                                                                     | Standards                                       | Emergency measure                                                                                      | Standards                                      |
|-------------------------------------------------------------------------------------------------------|-------------------------------------------------|--------------------------------------------------------------------------------------------------------|------------------------------------------------|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

#### Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

#### Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

|                           |                         |
|---------------------------|-------------------------|
| V.O.C. (Supply):          | 26,13 % weight          |
| V.O.C. density at 20 °C:  | 261,3 kg/m³ (261,3 g/L) |
| Average carbon number:    | 4                       |
| Average molecular weight: | 77,43 g/mol             |

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

##### Appearance:

|                          |                |
|--------------------------|----------------|
| Physical state at 20 °C: | Liquid         |
| Appearance:              | Paste          |
| Colour:                  | Black          |
| Odour:                   | Solvent        |
| Odour threshold:         | Not relevant * |

##### Volatility:

|                                        |                |
|----------------------------------------|----------------|
| Boiling point at atmospheric pressure: | Not relevant * |
| Vapour pressure at 20 °C:              | Not relevant * |
| Vapour pressure at 50 °C:              | Not relevant * |
| Evaporation rate at 20 °C:             | Not relevant * |

##### Product description:

|                             |                |
|-----------------------------|----------------|
| Density at 20 °C:           | 1,00 g/cm³     |
| Relative density at 20 °C:  | Not relevant * |
| Dynamic viscosity at 20 °C: | Not relevant * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

## EFFISUS BONDING KFP

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

|                                              |                                |
|----------------------------------------------|--------------------------------|
| Kinematic viscosity at 20 °C:                | Not relevant *                 |
| Kinematic viscosity at 40 °C:                | >20,5 mm <sup>2</sup> /s       |
| Concentration:                               | Not relevant *                 |
| pH:                                          | Not relevant *                 |
| Vapour density at 20 °C:                     | Not relevant *                 |
| Partition coefficient n-octanol/water 20 °C: | Not relevant *                 |
| Solubility in water at 20 °C:                | Not relevant *                 |
| Solubility properties:                       | Immiscible or difficult to mix |
| Decomposition temperature:                   | Not relevant *                 |
| Melting point/freezing point:                | Not relevant *                 |

#### Flammability:

|                            |                |
|----------------------------|----------------|
| Flash Point:               | -4 °C          |
| Flammability (solid, gas): | Not relevant * |
| Autoignition temperature:  | Not relevant * |
| Lower flammability limit:  | Not relevant * |
| Upper flammability limit:  | Not relevant * |

#### Particle characteristics:

|                             |                |
|-----------------------------|----------------|
| Median equivalent diameter: | Not relevant * |
|-----------------------------|----------------|

#### 9.2 Other information:

##### Information with regard to physical hazard classes:

|                                                              |                                                                               |
|--------------------------------------------------------------|-------------------------------------------------------------------------------|
| Explosive properties:                                        | The product is not explosive. However, explosive vapor/air mixtures may form. |
| Oxidising properties:                                        | Not relevant *                                                                |
| Corrosive to metals:                                         | Not relevant *                                                                |
| Heat of combustion:                                          | Not relevant *                                                                |
| Aerosols-total percentage (by mass) of flammable components: | Not relevant *                                                                |

##### Other safety characteristics:

|                           |                |
|---------------------------|----------------|
| Surface tension at 20 °C: | Not relevant * |
| Refraction index:         | Not relevant * |

\*Not relevant due to the nature of the product, not providing information property of its hazards.

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight            | Humidity       |
|--------------------|------------------|-------------------------|---------------------|----------------|
| Not applicable     | Not applicable   | Risk of combustion      | Avoid direct impact | Not applicable |

#### 10.5 Incompatible materials:

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

- CONTINUED ON NEXT PAGE -

## EFFISUS BONDING KFP

### SECTION 10: STABILITY AND REACTIVITY (continued)

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

##### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

##### A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

##### B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

##### C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Produces eye damage after contact.

##### D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: Carbon black (2B)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

##### E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

##### F- Specific target organ toxicity (STOT) - single exposure:

Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

##### G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Repeated exposure may cause skin dryness or cracking

##### H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

##### Other information:

Not relevant

- CONTINUED ON NEXT PAGE -

## EFFISUS BONDING KFP

### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

#### Specific toxicology information on the substances:

| Identification                                  | Acute toxicity         |                 | Genus  |
|-------------------------------------------------|------------------------|-----------------|--------|
| Butanone<br>CAS: 78-93-3<br>EC: 201-159-0       | LD50 oral              | 4000 mg/kg      | Rat    |
|                                                 | LD50 dermal            | 6400 mg/kg      | Rabbit |
|                                                 | LC50 inhalation vapour | 23,5 mg/L (4 h) | Rat    |
| Ethyl acetate<br>CAS: 141-78-6<br>EC: 205-500-4 | LD50 oral              | 5620 mg/kg      | Rat    |
|                                                 | LD50 dermal            | >2000 mg/kg     | Rabbit |
|                                                 | LC50 inhalation vapour | 22,5 mg/L (4 h) | Rat    |

#### Acute Toxicity Estimate (ATE mix):

|                        | ATE mix                             | Ingredient(s) of unknown toxicity |
|------------------------|-------------------------------------|-----------------------------------|
| Oral                   | >2000 mg/kg (Calculation method)    | 0 %                               |
| Dermal                 | >2000 mg/kg (Calculation method)    | 0 %                               |
| LC50 inhalation vapour | >20 mg/L (4 h) (Calculation method) | 0 %                               |

#### 11.2 Information on other hazards:

##### Endocrine disrupting properties

The mixture does not contain components considered to have endocrine disrupting properties in accordance with Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

##### Other information

Not relevant

### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

#### 12.1 Toxicity:

##### Acute toxicity:

| Identification                                  |      | Concentration         | Species                 | Genus      |
|-------------------------------------------------|------|-----------------------|-------------------------|------------|
| Butanone<br>CAS: 78-93-3<br>EC: 201-159-0       | LC50 | 3220 mg/L (96 h)      | Pimephales promelas     | Fish       |
|                                                 | EC50 | 5091 mg/L (48 h)      | Daphnia magna           | Crustacean |
|                                                 | EC50 | 4300 mg/L (168 h)     | Scenedesmus quadricauda | Algae      |
| Ethyl acetate<br>CAS: 141-78-6<br>EC: 205-500-4 | LC50 | 220 - 250 mg/L (96 h) | Pimephales promelas     | Fish       |
|                                                 | EC50 | >164 mg/L (24 h)      | Daphnia magna           | Crustacean |
|                                                 | EC50 | Not relevant          | Scenedesmus subspicatus | Algae      |

##### Chronic toxicity:

| Identification                               |      | Concentration | Species             | Genus      |
|----------------------------------------------|------|---------------|---------------------|------------|
| Ethyl acetate<br>CAS: 141-78-6 EC: 205-500-4 | NOEC | 9,65 mg/L     | Pimephales promelas | Fish       |
|                                              | NOEC | 2,4 mg/L      | Daphnia magna       | Crustacean |

#### 12.2 Persistence and degradability:

##### Substance-specific information:

| Identification                                  | Degradability |             | Biodegradability |              |
|-------------------------------------------------|---------------|-------------|------------------|--------------|
| Butanone<br>CAS: 78-93-3<br>EC: 201-159-0       | BOD5          | 2,03 g O2/g | Concentration    | Not relevant |
|                                                 | COD           | 2,31 g O2/g | Period           | 20 days      |
|                                                 | BOD5/COD      | 0,88        | % Biodegradable  | 89 %         |
| Ethyl acetate<br>CAS: 141-78-6<br>EC: 205-500-4 | BOD5          | 1,36 g O2/g | Concentration    | 100 mg/L     |
|                                                 | COD           | 1,69 g O2/g | Period           | 14 days      |
|                                                 | BOD5/COD      | 0,8         | % Biodegradable  | 83 %         |

#### 12.3 Bioaccumulative potential:

##### Substance-specific information:

- CONTINUED ON NEXT PAGE -

## EFFISUS BONDING KFP

### SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification |           | Bioaccumulation potential |                 |
|----------------|-----------|---------------------------|-----------------|
| Butanone       | BCF       |                           | 3               |
| CAS: 78-93-3   | Pow Log   |                           | 0.29            |
| EC: 201-159-0  | Potential |                           | Low             |
| Ethyl acetate  | BCF       |                           | 30              |
| CAS: 141-78-6  | Pow Log   |                           | > 0,66 - < 0,73 |
| EC: 205-500-4  | Potential |                           | Moderate        |

#### 12.4 Mobility in soil:

| Identification |                 | Absorption/desorption |            | Volatility |                 |
|----------------|-----------------|-----------------------|------------|------------|-----------------|
| Butanone       | Koc             | 30                    | Henry      |            | 5,77 Pa·m³/mol  |
| CAS: 78-93-3   | Conclusion      | Very High             | Dry soil   |            | Yes             |
| EC: 201-159-0  | Surface tension | 2,396E-2 N/m (25 °C)  | Moist soil |            | Yes             |
| Ethyl acetate  | Koc             | 59                    | Henry      |            | 13,58 Pa·m³/mol |
| CAS: 141-78-6  | Conclusion      | Very High             | Dry soil   |            | Yes             |
| EC: 205-500-4  | Surface tension | 2,324E-2 N/m (25 °C)  | Moist soil |            | Yes             |

#### 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

#### 12.6 Endocrine disrupting properties:

The mixture does not contain components considered to have endocrine disrupting properties in accordance with Article 57(f) of REACH or Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

#### 12.7 Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

##### Type of waste (Regulation (EU) No 1357/2014):

Not available

Note: It is not possible to assign a specific code, as this depends on the user's usage.

##### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

##### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

#### Transport of dangerous goods by land:

With regard to ADR and RID:

- CONTINUED ON NEXT PAGE -

**EFFISIUS BONDING KFP**

**SECTION 14: TRANSPORT INFORMATION (continued)**



- 14.1 UN number or ID number:** UN1133  
**14.2 UN proper shipping name:** ADHESIVES  
**14.3 Transport hazard class(es):** 3  
 Labels: 3  
**14.4 Packing group:** II  
**14.5 Environmental hazards:** No  
**14.6 Special precautions for user**  
 Special regulations: Not relevant  
 Tunnel restriction code: D/E  
 Physico-Chemical properties: see section 9  
 Limited quantities: 5 L  
**14.7 Maritime transport in bulk according to IMO instruments:** Not relevant

**Transport of dangerous goods by sea:**

With regard to IMDG:



- 14.1 UN number or ID number:** UN1133  
**14.2 UN proper shipping name:** ADHESIVES  
**14.3 Transport hazard class(es):** 3  
 Labels: 3  
**14.4 Packing group:** II  
**14.5 Marine pollutant:** No  
**14.6 Special precautions for user**  
 Special regulations: Not relevant  
 EmS Codes: F-E, S-D  
 Physico-Chemical properties: see section 9  
 Limited quantities: 5 L  
 Segregation group: Not relevant  
**14.7 Maritime transport in bulk according to IMO instruments:** Not relevant

**Transport of dangerous goods by air:**

With regard to IATA/ICAO 2025:



- 14.1 UN number or ID number:** UN1133  
**14.2 UN proper shipping name:** ADHESIVES  
**14.3 Transport hazard class(es):** 3  
 Labels: 3  
**14.4 Packing group:** II  
**14.5 Environmental hazards:** No  
**14.6 Special precautions for user**  
 Physico-Chemical properties: see section 9  
 Packing instructions (cargo aircraft): 364  
 Packaging instruction (LQ): Y341  
**14.7 Maritime transport in bulk according to IMO instruments:** Not relevant

**SECTION 15: REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

- **Article 95**, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the **Regulation (EC) No 1907/2006** (REACH): Not relevant
- **Regulation (EU) 2019/1021** on persistent organic pollutants: Not relevant
- **Regulation (EU) No 2024/590**, about substances that deplete the ozone layer: Not relevant
- **Regulation (EU) No 649/2012**, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in **Annex XIV** of REACH ("Authorisation List") and sunset date: Not relevant

**Seveso III:**

- CONTINUED ON NEXT PAGE -

## EFFISUS BONDING KFP

### SECTION 15: REGULATORY INFORMATION (continued)

| Section | Description       | Lower-tier requirements | Upper-tier requirements |
|---------|-------------------|-------------------------|-------------------------|
| P5c     | FLAMMABLE LIQUIDS | 5000                    | 50000                   |

**Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):**

Entry 3: Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

**Directive 2011/65/EU** of the European Parliament and of the Council of June 8, 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (**RoHS**): Not applicable

**Specific provisions in terms of protecting people or the environment:**

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

**Other legislation:**

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

**Legislation related to safety data sheets:**

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

**Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:**

Not relevant

**Texts of the legislative phrases mentioned in section 2:**

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H225: Highly flammable liquid and vapour.

**Texts of the legislative phrases mentioned in section 3:**

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

**CLP Regulation (EC) No 1272/2008:**

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

STOT SE 3: H336 - May cause drowsiness or dizziness.

**Classification procedure:**

Eye Irrit. 2: Calculation method

STOT SE 3: Calculation method

Flam. Liq. 2: Calculation method (2.6.4.3)

**Advice related to training:**

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

**Principal bibliographical sources:**

<http://echa.europa.eu>

<http://eur-lex.europa.eu>

**Abbreviations and acronyms:**

**EFFISUS BONDING KFP**

**SECTION 16: OTHER INFORMATION (continued)**

ADR: European agreement concerning the international carriage of dangerous goods by road  
IMDG: International maritime dangerous goods code  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organisation  
COD: Chemical Oxygen Demand  
BOD5: 5day biochemical oxygen demand  
BCF: Bioconcentration factor  
LD50: Lethal Dose 50  
LC50: Lethal Concentration 50  
EC50: Effective concentration 50  
LogPOW: Octanolwater partition coefficient  
Koc: Partition coefficient of organic carbon  
UFI: unique formula identifier  
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -